

Metabolic Assessment Form: Practitioner Key

Please see each category below with corresponding body system and/or imbalance.

Category I (Colon)	0	1	2	3
Feeling that bowels do not empty completely	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Lower abdominal pain relieved by passing stool or gas	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Alternating constipation and diarrhea	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Diarrhea	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Constipation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Hard, dry, or small stool	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Coated tongue or "fuzzy" debris on tongue	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Pass large amount of foul-smelling gas	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
More than three bowel movements daily	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Use laxatives frequently	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Category II (Hypochlorhydria)	0	1	2	3
Excessive belching, burping, or bloating	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Gas immediately following a meal	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Offensive breath	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Difficult bowel movement	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Sense of fullness during and after meals	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Difficulty digesting fruits and vegetables; undigested food found in stools	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Category III (Hyperacidity)	0	1	2	3
Stomach pain, burning, or aching one to four hours after eating	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Use antacids	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Feel hungry an hour or two after eating	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Heartburn when lying down or bending forward	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Temporary relief by using antacids, food, milk, or carbonated beverages	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Digestive problems subside with rest and relaxation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Heartburn due to spicy foods, chocolate, citrus, peppers, alcohol, and caffeine	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Category IV (Small Intestine/Pancreas)	0	1	2	3
Roughage and fiber cause constipation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Indigestion and fullness last two to four hours after eating	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Pain, tenderness, soreness on left side under rib cage	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Excessive passage of gas	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Nausea and/or vomiting	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Stool undigested, foul smelling, mucous-like, greasy, or poorly formed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Frequent urination	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Increased thirst and appetite	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Category V (Biliary Insufficiency)	0	1	2	3
Greasy or high-fat foods cause distress	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Lower bowel gas and/or bloating several hours after eating	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Bitter metallic taste in mouth, especially in the morning	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Burpy, fishy taste after consuming fish oils	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Difficulty losing weight	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Unexplained itchy skin	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Yellowish cast to eyes	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Stool color alternates from clay colored to normal brown	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Reddened skin, especially palms	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Dry or flaky skin and/or hair	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
History of gallbladder attacks or stones	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Have you had your gallbladder removed?	<input type="radio"/> Yes		<input type="radio"/> No	
Category VI (Hypoglycemia)	0	1	2	3
Crave sweets during the day	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Irritable if meals are missed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Depend on coffee to keep going/get started	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Get light-headed if meals are missed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Eating relieves fatigue	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Feel shaky, jittery, or have tremors	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Agitated, easily upset, nervous	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Poor memory/forgetful	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Blurred vision	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Category VII (Insulin Resistance)	0	1	2	3
Fatigue after meals	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Crave sweets during the day	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Eating sweets does not relieve cravings for sugar	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Must have sweets after meals	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Waist girth is equal or larger than hip girth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Frequent urination	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Increased thirst and appetite	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Difficulty losing weight	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Category VIII (Adrenal Hypofunction)	0	1	2	3
Cannot stay asleep	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Crave salt	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Slow starter in the morning	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Afternoon fatigue	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Dizziness when standing up quickly	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Afternoon headaches	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Headaches with exertion or stress	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Weak nails	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Category IX (Adrenal Hyperfunction)	0	1	2	3
Cannot fall asleep	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Perspire easily	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Under high amount of stress	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Weight gain when under stress	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Wake up tired even after six or more hours of sleep	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Excessive perspiration or perspiration with little or no activity	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Category X (Hypothyroid)	0	1	2	3
Tired/sluggish	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Feel cold—hands, feet, all over	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Require excessive amounts of sleep to function properly	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Increase in weight even with low-calorie diet	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Gain weight easily	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Difficult, infrequent bowel movements	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Depression/lack of motivation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Morning headaches that wear off as the day progresses	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Outer third of eyebrow thins	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Thinning of hair on scalp, face, or genitals, or excessive hair loss	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Dryness of skin and/or scalp	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Mental sluggishness	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Category XI (Hyperthyroid)	0	1	2	3
Heart palpitations	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Inward trembling	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Increased pulse even at rest	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Nervous and emotional	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Insomnia	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Night sweats	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Difficulty gaining weight	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Category XII (Pituitary Hypofunction)	0	1	2	3
Diminished sex drive	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Menstrual disorders or lack of menstruation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Increased ability to eat sugars without symptoms	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Category XIII (Pituitary Hyperfunction)	0	1	2	3
Increased sex drive	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Tolerance to sugars reduced	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
"Splitting"-type headaches	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Category XIV (Males/Prostate)	0	1	2	3
Urination difficulty or dribbling	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Frequent urination	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Pain inside of legs or heels	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Feeling of incomplete bowel emptying	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Leg twitching at night	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Category XV (Males/Andropause)	0	1	2	3
Decreased libido	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Decreased number of spontaneous morning erections	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Decreased fullness of erections	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Difficulty maintaining morning erections	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Spells of mental fatigue	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Inability to concentrate	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Episodes of depression	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Muscle soreness	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Decreased physical stamina	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Unexplained weight gain	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Increase in fat distribution around chest and hips	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Sweating attacks	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
More emotional than in the past	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Category XVI (Menstruating Females)	0	1	2	3
Perimenopausal	<input type="radio"/> Yes		<input type="radio"/> No	
Alternating menstrual cycle lengths	<input type="radio"/> Yes		<input type="radio"/> No	
Extended menstrual cycle (greater than 32 days)	<input type="radio"/> Yes		<input type="radio"/> No	
Shortened menstrual cycle (less than 24 days)	<input type="radio"/> Yes		<input type="radio"/> No	
Pain and cramping during periods	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Scanty blood flow	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Heavy blood flow	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Breast pain and swelling during menses	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Pelvic pain during menses	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Irritable and depressed during menses	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Acne	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Facial hair growth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Hair loss/thinning	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Category XVII (menopausal Females)	0	1	2	3
How many years have you been menopausal?	_____ years			
Since menopause, do you ever have uterine bleeding?	<input type="radio"/> Yes		<input type="radio"/> No	
Hot flashes	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Mental fogginess	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Disinterest in sex	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Mood swings	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Depression	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Painful intercourse	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Shrinking breasts	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Facial hair growth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>						
Acne	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>						
Increased vaginal pain, dryness, or itching	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>						
Category XVIII										
How many alcoholic beverages do you consume per week?										
How many caffeinated beverages do you consume per day?										
How many times do you eat out per week?										
How many times a week do you eat raw nuts or seeds?										
How many times a week do you eat fish?										
How many times a week do you work out?										
List the three worst foods you eat during the average week:										
List the three healthiest foods you eat during the average week:										
Do you smoke?	<input type="radio"/> Yes	<input type="radio"/> No								
Do you currently have mercury amalgams (fillings)?	<input type="radio"/> Yes	<input type="radio"/> No								
Have you had mercury amalgam fillings removed in the past?	<input type="radio"/> Yes	<input type="radio"/> No								
Rate your levels of stress on a scale of 1 to 10 during the average week:	1	2	3	4	5	6	7	8	9	10

Please list any medications you currently take and for what conditions:

Please list any natural supplements you currently take and for what conditions: